

測試報告 號碼(No.): CE/2019/90641 日期(Date): 2019/09/16 Test Report

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

BASIC INFORMATION	
Type of Product	HIGH POWER LED EHP A2X
Supplier Company Name	EVERLIGHT
Address	NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN
Tel / Fax / Email	TEL:886-2685-6688
	FAX:886-2685-6699
	E-MAIL: lindawang@everlight.com
Contact Person	LI LING WANG
EVERLIGHT REPORT NO	EVERLIGHT-HIGH POWER LED EHP A2X SERIES
	Sampling Product :EHP-A23/RGB33-P01/TR-SGS-16/09/2019
PRODUCT INFORMATION	
Product/component Sample	Automotive exterior lighting
Quantity (numbers or weight)	0.0593 g
EVERLIGHT P/N	HIGH POWER LED EHP A2X SERIES
	Sampling Product :EHP-A23/RGB33-P01/TR
Product Lot No	Y190410A1801D27GP7GP4-R
Country of Origin	TAIWAN
TEST INFORMATION	
Sample preparation	CUTTING
Test Method	RoHS: IEC 62321, Halogen: BS EN 14582
MDL	Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg
Name of Analyzer	Cd, Pb, Hg, Cr(VI): Rita Chen, PBBs/PBDEs: Yaling Tu, Halogen: Rita Chen
送樣廠商(Sample Submitted :	億光電子工業股份有限公司(EVERLIGHT ELECTRONICS CO., LTD.)
收件日期(Sample Receiving :	2019/09/04
	2019/09/04 to 2019/09/16

測試結果(Test Results)

請參閱下一頁 (Please refer to following pages).

Troy Chang / Manager - Tec Signed for and behalf of SĞS TAIWAN LTD. Chemical Laboratory - Taipei AIW

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/terms-e-document, attrans-e-document, attr

頁數(Page): 1 of 21



頁數(Page): 2 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

結論(Conclusion)

- (1) 根據客戶所提供的樣品,其鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚,DBP,BBP,DEHP,DIBP的測試結果符合RoHS 2011/65/EU Annex II暨其修訂指令(EU) 2015/863之限值要求. (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)
- (2) 根據客戶所提供的樣品,18項多環芳香煙測試結果符合德國產品安全委員會(AfPS) GS PAHs第 3 類 「列於德國產品安 全法之其他產品」之限值要求. (Based upon the performed tests on the submitted sample(s), the test results of PAHs (18 items) comply with the limits of PAHs requirement (Category 3)「Other products under ProdSG」 as set by German Committee on Product Safety (AfPS) GS PAHs.)

<u>測試結果(Test Results)</u>

測試部位(PART NAME)No.1 : 本體(BODY)
測試部位(PART NAME)No.2 : 銀色金屬鍍層(PLATING LAYER OF SILVER COLORED METAL)
測試部位(PART NAME)No.3 : 銀色金屬底材(BASE MATERIAL OF SILVER COLORED METAL)
測試部位(PART NAME)No.4 : 銀色金屬(含鍍層)(SILVER COLORED METAL(INCLUDING THE PLATING LAYER))

測試項目 (Test Items)	單位 (Unit)	単位 別試力法	方法偵測 極限值	結果 (Result)			限值 (Limit)
		(method)	(MDL)	No. 1	No. 2	No. 3	
鎘 / Cadmium (Cd)	mg/kg	參考IEC 62321-5 (2013),以感 應耦合電漿發射光譜儀檢測. /	2	n. d.			100
鉛 / Lead (Pb)	mg/kg	With reference to IEC 62321-5 (2013) and performed by ICP- OES.	2	8.57			1000
汞 / Mercury (Hg)	mg/kg	参考IEC 62321-4:2013+ AMD1:2017,以感應耦合電漿發射 光譜儀檢測. / With reference to IEC 62321-4:2013+ AMD1:2017 and performed by ICP-OES.	2	n. d.			1000



億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

測試項目 (Test Items)	單位	測試方法	方法偵測 極限值	結	lt)	限值 (Limit)	
	(Unit)	(Method)	(MDL)	No. 1	No. 2	No. 3	(L1m1t)
鎘 / Cadmium (Cd)	mg/kg	酸洗脫鍍層,參考IEC 62321-5 (2013),以感應耦合電漿發射光 譜儀檢測. / IEC 62321-5	2		n. d.		100
鉛 / Lead (Pb)	mg/kg	(2013) application of modified digestion by surface etching and performed by ICP- OES.	2		23. 2		1000
汞 / Mercury (Hg)	mg/kg	酸洗脫鍍層,參考IEC 62321- 4:2013+ AMD1:2017,以感應耦合 電漿發射光譜儀檢測. / IEC 62321-4:2013+ AMD1:2017 application of modified digestion by surface etching and performed by ICP-OES.	2		n. d.		1000
鎘 / Cadmium (Cd)	mg/kg	參考IEC 62321-5 (2013),以感 應耦合電漿發射光譜儀檢測. /	2			n. d.	100
鉛 / Lead (Pb)	mg/kg	With reference to IEC 62321-5 (2013) and performed by ICP- OES.	2			23. 7	1000
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4:2013+ AMD1:2017,以感應耦合電漿發射 光譜儀檢測. / With reference to IEC 62321-4:2013+ AMD1:2017 and performed by ICP-0ES.	2			n. d.	1000



測試報告 號碼(No.): CE/2019/90641 日期(Date): 2019/09/16

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

測試項目 (Test Items)	單位 (IInit)	测試方法	方法偵測 極限值	結	果(Resu	lt)	限值 (Limit)
(lest ltems)	(Unit)	(Method)	(MDL)	No. 1	No. 2	No. 3	
六價貉 / Hexavalent Chromium Cr(VI) (◆)	mg/kg	参考IEC 62321-7-2 (2017),以 UV-VIS檢測;參考IEC 62321-5 (2013),以ICP-OES檢測. / With reference to IEC 62321-7-2 (2017) and performed by UV- VIS.; With reference to IEC 62321-5 (2013) and performed by ICP-OES.	8	n. d.			1000
六價鉻 / Hexavalent Chromium Cr(VI)(#2)	µg/cm²	参考IEC 62321-7-1 (2015),以 UV-VIS檢測. / With reference to IEC 62321-7-1 (2015) and performed by UV-VIS.	0.10		n. d.	n. d.	_
多溴聯苯總和 / Sum of PBBs	mg/kg		-	n. d.			1000
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n. d.			-
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n. d.			-
三溴聯苯 / Tribromobiphenyl	mg/kg	參考IEC 62321-6 (2015),以氣	5	n. d.			-
四溴聯苯 / Tetrabromobiphenyl	mg/kg	相層析/質譜儀檢測. / With	5	n. d.			-
五溴聯苯 / Pentabromobiphenyl		reference to IEC 62321-6	5	n. d.			-
六溴聯苯 / Hexabromobiphenyl	mg/kg	(2015) and performed by GC/MS.	5	n. d.			-
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n. d.			-
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n. d.			-
九溴聯苯 / Nonabromobiphenyl	mg/kg]	5	n. d.			-
十溴聯苯 / Decabromobiphenyl	mg/kg		5	n. d.			-



測試報告 號碼(No.): CE/2019/90641 日期(Date): 2019/09/16

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號

NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

测試項目 (Track Idears)	單位 (IIaita)	測試方法 (Method)	方法偵測 極限值	結	果(Resul	lt)	限值 (Limit)
(Test Items)	(Unit)	(Method)	(MDL)	No. 1	No. 2	No. 3	
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		-	n.d.			1000
ー溴聯苯醚 / Monobromodiphenyl ether	mg/kg		5	n.d.			-
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n. d.		-	-
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg	參考IEC 62321-6(2015),以氣	5	n.d.			-
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg	相層析/質譜儀檢測. / With	5	n.d.			-
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg	reference to IEC 62321-6	5	n.d.			-
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg	(2015) and performed by	5	n.d.			-
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg	GC/MS.	5	n.d.			-
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n.d.			-
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n.d.			-
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n.d.			-
鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85- 68-7)	mg/kg		50	n. d.			1000
鄰苯二甲酸二丁酯 / DBP(Dibuty1 phthalate)(CAS No.: 84-74-2)	mg/kg		50	n. d.			1000
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg	參考IEC 62321-8 (2017),以氣 相層析/質譜儀檢測. / With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n. d.			1000
鄰苯二甲酸二異丁酯 / DIBP (Di- isobutyl phthalate) (CAS No.: 84- 69-5)	mg/kg		50	n. d.			1000
鄰苯二甲酸二異癸酯 / DIDP (Di- isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	mg/kg		50	n. d.			-



億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

测试項目	單位	测试方法	方法偵測 極限值	結	果(Resu	lt)	限值 (Linit)
(Test Items)	(Unit)	(Method)	(MDL)	No. 1	No. 2	No. 3	(Limit)
鄰苯二甲酸二異壬酯 / DINP (Di- isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	mg/kg		50	n. d.			_
鄰苯二甲酸二正辛酯 / DNOP (Di-n- octyl phthalate) (CAS No.: 117- 84-0)	mg/kg	參考IEC 62321-8 (2017),以氣	50	n. d.			-
鄰苯二甲酸二戊酯 / DNPP(Di-n- pentyl phthalate)(CAS No.: 131- 18-0)	mg/kg	相層析/質譜儀檢測. / With reference to IEC 62321-8 (2017). Analysis was performed by GC/MS.	50	n. d.			_
鄰苯二甲酸二正己酯 / DNHP (Di-n- hexyl phthalate) (CAS No.: 84-75-3)	mg/kg	performed by 007 ms.	50	n. d.			-
鄰苯二甲酸二(2-甲氧基乙基)酯 / DMEP(Bis(2-methoxyethyl) phthalate)(CAS No.: 117-82-8)	mg/kg	-	50	n. d.			-
六溴環十二烷及所有主要被辨別出的異 構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (α – HBCDD, β – HBCDD, γ – HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237- 52-8))	mg/kg	參考IEC 62321 (2008),以氣相 層析/質譜儀檢測. / With reference to IEC 62321 (2008). Analysis was performed by GC/MS.	5	n. d.			-
鹵素 / Halogen							
鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	4 HD0 DV 14502 (2010)	50	300			-
鹵素(氯)/ Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	mg/kg	參考BS EN 14582 (2016),以離 子層析儀分析. / With	50	n. d.			-
鹵素 (溴) / Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	reference to BS EN 14582 (2016). Analysis was performed by IC.	50	n. d.			-
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg	performed by re.	50	n. d.			-



頁數(Page):7 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

测试項目	單位	测试方法	方法偵測 極限值	結	果(Resu	lt)	限值 (Tinit)
(Test Items)	(Unit)	(Method)	(MDL)	No. 1	No. 2	No. 3	(Limit)
多環芳香烴 / Polycyclic Aromatic Hydrocarbons (PAHs)							
苊 / Acenaphthene (CAS No.: 83-32-9)	mg/kg		0.2	n.d.			-
苊烯 / Acenaphthylene(CAS No.: 208- 96-8)	mg/kg		0.2	n. d.			-
蔥 / Anthracene (CAS No.: 120-12-7)	mg/kg		0.2	n. d.			-
苯駢蔥 / Benzo[a]anthracene(CAS No.: 56-55-3)	mg/kg		0.2	n. d.			-
苯駢(a)芘 / Benzo[a]pyrene(CAS No.: 50-32-8)	mg/kg		0.2	n. d.			-
苯(b)苯聠芴 / Benzo[b]fluoranthene (CAS No.: 205-99-2)	mg/kg		0.2	n. d.			-
苯駢菲 / Benzo[g,h,i]perylene(CAS No.: 191-24-2)	mg/kg		0.2	n. d.			-
苯駢(k)螢蔥 / Benzo[k]fluoranthene (CAS No.: 207-08-9)	mg/kg	參考AfPS GS 2014:01 PAK,以	0.2	n. d.			-
Chrysene (CAS No.: 218-01-9)	mg/kg	氣相層析/質譜儀檢測. / With reference to AfPS GS 2014:01	0.2	n.d.			-
二苯駢蒠 / Dibenzo[a,h]anthracene (CAS No.: 53-70-3)	mg/kg	PAK. Analysis was performed	0.2	n. d.			-
苯駢苊 / Fluoranthene(CAS No.: 206- 44-0)	mg/kg	by GC/MS.	0.2	n. d.			-
芴 / Fluorene (CAS No.: 86-73-7)	mg/kg		0.2	n.d.			-
茚酮芘 / Indeno[1,2,3-c,d] pyrene (CAS No.: 193-39-5)	mg/kg		0.2	n. d.			-
茶 / Naphthalene (CAS No.: 91-20-3)	mg/kg		0.2	n.d.			-
菲 / Phenanthrene (CAS No.: 85-01-8)	mg/kg		0.2	n. d.			-
芘 / Pyrene (CAS No.: 129-00-0)	mg/kg		0.2	n.d.			-
苯(j)苯駢芴 / Benzo[j]fluoranthene (CAS No.: 205-82-3)	mg/kg		0.2	n. d.			-
苯駢(e)芘 / Benzo[e]pyrene(CAS No.: 192-97-2)	mg/kg		0.2	n. d.			-
多環芳香烴18項總和 / Sum of 18 PAHs	mg/kg	<u> </u>	_	n.d.			Δ



億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

测試項目 (Test Items)	重位 測試方法		方法偵測 極限值	」 結果(Result)			限值 (Limit)
(Test Ttems)		(method)	(MDL)	No. 1	No. 2	No. 3	
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	參考US EPA 3550C (2007),以 液相層析/質譜儀檢測. / With reference to US EPA 3550C	10	n. d.			_
全氟辛酸 / PFOA (CAS No.: 335- 67-1)	mg/kg	(2007). Analysis was performed by LC/MS.	10	n. d.			-
鈹 / Beryllium (Be)	mg/kg	參考US EPA 3052 (1996),以感 應耦合電漿發射光譜儀檢測. / With reference to US EPA 3052 (1996). Analysis was performed by ICP-OES.	2	n. d.			-

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.4	限值 (Limit)
鈹 / Beryllium (Be)	mg/kg	参考US EPA 3050B (1996),以 感應耦合電漿發射光譜儀檢測. / With reference to US EPA 3050B (1996). Analysis was performed by ICP-OES.	2	n. d.	-



頁數(Page): 9 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. "---" = Not Conducted (未測項目)
- 6. (#2) =

a. 當六價鉻結果大於0.13 µg/cm²,表示樣品表層含有六價鉻. / The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than 0.13 µg/cm². The sample coating is considered to contain Cr(VI). b. 當六價鉻結果為n.d. (濃度小於0.10 µg/cm²),表示表層不含六價鉻. / The sample is negative for Cr(VI) if Cr(VI) is n.d. (concentration less than 0.10 µg/cm²). The coating is considered a non-Cr(VI) based coating

c. 當六價鉻結果介於 0.10 及 0.13 µg/cm² 時,無法確定塗層是否含有六價鉻. / The result between 0.10 µg/cm² and 0.13 µg/cm² is considered to be inconclusive - unavoidable coating variations may influence the determination.

7. (♠):

若鉻含量小於六價鉻之方法偵測極限值,則六價鉻為n.d.,不須再測試六價鉻。

The result of Cr(VI) is "n.d." as the result of Chromium (Cr) is less than the MDL of Cr(VI), and confirmation test of Cr(VI) is not required.

若鉻含量未小於六價鉻之方法偵測極限值,需進行六價鉻測試。

If the Chromium (Cr) content is not less than the MDL of Cr(VI), confirmation test of Cr(VI) is required.

PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 757/2010

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品或塗層材料中不得超過1 μ g/m²。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above $1\mu g/m^2$.)



測試報告 號碼(No.): CE/2019/90641 日期(Date): 2019/09/16 Test Report

頁數(Page): 10 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

△ 德國產品安全委員會(AfPS) GS PAHs 要求 / AfPS (German commission for Product Safety): GS PAHs requirements

	第1類(Category 1)	第2類(Ca	ategory 2)	第3類(Ca	ategory 3)	
項目 (Parameter)	意圖放入嘴內的材料 或玩具會與皮膚有所 接觸(超過30秒). (Material indented to be put in the mouth or toys with intended skin	不屬於第1類的材料並可預見與皮膚 接觸逾30秒(長期或經常與皮膚接 觸). (Materials not falling under category 1 with foreseeable contact to skin for longer than 30 seconds (long- term skin or frequent contact).)		less than 30 seconds (short-		
	contact (longer than 30 s).)	列於2009/48/EC 之玩具(Toy under 2009/48/EC)	列於徳國產品安全 法之其他產品 (Other products under ProdSG)	列於2009/48/EC 之玩具(Toy under 2009/48/EC)	列於徳國産品安全 法之其他産品 (Other products under ProdSG)	
Naphthalene	< 1	<	< 2	<	10	
Acenaphthylene						
Acenaphthene						
Fluorene						
Phenanthrene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum	
Anthracene						
Fluoranthene						
Pyrene						
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Indeno[1, 2, 3-c, d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
18項PAH總濃度 (Sum of 18 PAH)	< 1	< 5	< 10	< 20	< 50	

單位(Unit):mg/kg



測試報告 號碼(No.): CE/2019/90641 日期(Date): 2019/09/16 **Test Report**

頁數(Page): 11 of 21

development

」 以 UV-VIS,量测樣 品溶液在 540 nm 的

吸收度 / Measure

the absorbance at

540 nm by UV-VIS


億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

感應耦合電漿發射光譜儀 / ICP-OES



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document, at the limit of itability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

加入發色劑顯色 / Add diphenyl-carbazide for color development

以 UV-VIS,量测樣品溶液在 540 nm 的 吸收度 / Measure the absorbance at

540 nm by UV-VIS




頁數(Page): 12 of 21


億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

No. 2

根據以下的流程圖之條件, 樣品之外部鍍層已完全溶解。(六價 絡測試方法除外) / The plating layer of samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)

- 測試人員:陳恩臻 / Technician : Rita Chen
- 測試負責人:張啟興 / Supervisor: Troy Chang








頁數(Page): 13 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE

- 測試人員: 涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang

初次測試程序 / First testing process →→ 選擇性篩檢程序 / Optional screen process ••••••• 確認程序 / Confirmation process → • → •






頁數(Page): 14 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

<u>可塑劑分析流程圖 / Analytical flow chart - Phthalate</u>

- 測試人員:涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang

【测試方法/Test method: IEC 62321-8】



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/terms-and-conditions/terms-e-document, at the limit of itability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



頁數(Page): 15 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

<u>六溴環十二烷分析流程圖 / Analytical flow chart - HBCDD</u>

 測試人員:涂雅苓 / Technician: Yaling Tu
測試負責人:張啟興 / Supervisor: Troy Chang
樣品前處理 / Sample pretreatment
樣品萃取 Sample extraction / 超音波萃取法 Ultrasonic method
革取液濃縮/稀釋 / Concentrate/Dilute Extracted solution
革取液過濾 / Filter
以氣相層析/質譜儀分析 / Analysis was performed by GC/MS
數據 / Data




頁數(Page): 16 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

<u>鹵素分析流程圖 / Analytical flow chart - Halogen</u>

- 測試人員:陳恩臻 / Technician: Rita Chen
- 測試負責人:張啟興 / Supervisor: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-conditions/terms-and-terms-and-conditions/terms-and-condition




頁數(Page): 17 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

全氟辛酸/全氟辛烷磺酸分析流程圖 / Analytical flow chart - PFOA/PFOS

- 測試人員: 涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang






頁數(Page): 18 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

<u>多環芳香烴分析流程圖 /</u> Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)

- 測試人員:涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang






頁數(Page): 19 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

重金屬流程圖 / Analytical flow chart of Heavy Metal

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) These samples were dissolved totally by pre-conditioning method according to below flow chart.(Cr⁶⁺ test method excluded) ■ 測試人員:陳恩臻 / Technician: Rita Chen ■ 測試負責人:張啟興 / Supervisor: Troy Chang





頁數(Page): 20 of 21


億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN

> * 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)



CE/2019/90641 NO.1








頁數(Page): 21 of 21

億光電子工業股份有限公司 EVERLIGHT ELECTRONICS CO., LTD. 新北市樹林區中華路6-8號 NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN



** 報告結尾 (End of Report) **